



.LAMPIRAN 1. BAGAN PENELITIAN



LAMPIRAN 2. POPULASI TANAMAN PER PLOT

1,2 m



Keterangan : O = Tanaman Sampel

X = Tanaman Dalam Plot

Jarak tanam = 20cm x 20 cm

LAMPIRAN 3**TINGGI TANAMAN BLOK I**

	P0				P1				P2				P3			
U0	3	5	6	7	3	4	5	6	3	4	5	6	5	6	5	6
	7	13	10	11	9	7	10	11	9	7	10	11	11	12	10	11
	17	25	19	21	20	20	17	20	20	20	17	20	20	25	19	20
	19	29	25	23	24	21	20	21	24	21	20	21	21	26	21	21
	22	31	27	25	26	23	24	24	26	23	24	24	22	28	22	23
U1	7	6	7	5	7	5	6	6	7	5	6	6	7	6	7	8
	13	12	13	9	13	16	15	12	13	16	15	12	13	11	14	15
	20	26	26	19	25	28	27	25	25	28	27	25	24	23	26	27
	28	29	29	24	27	29	28	28	27	29	28	28	26	27	28	30
	31	32	32	29	31	33	32	33	31	33	32	32	30	29	30	32
U2	7	3	4	4	8	5	7	6	6	4	6	7	6	6	5	7
	15	5	8	7	15	10	14	13	11	8	11	13	10	13	12	14
	28	11	17	18	28	22	22	24	20	19	23	25	22	24	23	28
	29	12	22	21	30	25	33	27	21	22	26	26	23	25	24	29
	33	16	26	25	32	29	35	30	23	24	28	28	26	28	28	31
U3	5	7	8	7	6	7	6	6	6	7	8	5	8	7	6	6
	9	14	13	12	12	15	13	14	12	14	13	9	16	14	12	13
	17	27	25	23	26	29	28	25	28	28	24	18	30	27	25	24
	26	29	27	25	27	31	29	26	29	29	25	22	33	29	26	25
	34	33	31	29	32	35	34	33	34	34	30	29	37	35	29	29

LAMPIRAN 4

TINGGI TANAMAN BLOK II

	P0				P1				P2				P3			
U0	6	8	5	7	6	6	4	5	5	7	3	3	4	7	5	3
	10	13	11	13	8	9	8	7	12	10	9	9	10	11	9	7
	22	24	23	24	17	19	21	19	27	22	19	21	21	21	20	19
	23	25	24	25	18	20	22	20	28	23	20	22	22	22	21	20
	25	27	26	27	20	22	24	22	30	25	22	24	24	24	28	24
U1	6	8	7	7	7	6	7	6	4	6	6	5	5	6	7	4
	12	14	15	15	15	8	14	13	9	14	12	10	11	10	13	8
	26	29	28	31	28	25	24	30	19	26	25	21	23	21	24	20
	28	30	29	34	29	26	25	31	20	27	26	22	24	22	25	22
	30	32	31	35	31	28	27	33	22	29	28	24	28	24	28	24
U2	7	6	7	8	6	9	6	8	5	6	6	7	8	7	6	3
	10	12	10	11	14	11	10	12	11	12	14	13	11	14	13	6
	16	21	22	24	29	23	22	25	23	26	29	25	24	27	24	15
	17	22	23	25	30	24	23	26	24	27	30	26	25	28	25	16
	20	26	25	28	32	26	25	28	26	30	32	29	27	30	27	18
U3	7	10	7	6	7	8	6	5	6	7	6	7	8	8	7	8
	13	16	12	9	13	14	14	12	10	13	12	14	13	13	12	14
	28	30	25	21	27	26	27	26	21	27	23	29	24	25	26	25
	29	31	26	23	30	28	28	26	26	28	25	31	26	28	28	27
	35	34	32	31	34	32	33	30	29	31	29	34	30	32	33	32

LAMPIRAN 5

TINGGI TANAMAN BLOK III

	P0				P1				P2				P3			
U0	5	4	6	6	4	5	5	4	5	6	4	5	5	4	6	5
	10	8	12	12	9	10	10	8	8	11	9	10	11	9	10	12
	18	16	25	24	17	20	19	17	18	23	19	20	20	19	21	24
	19	17	26	25	18	21	20	18	19	24	20	21	21	20	22	25
	21	22	24	26	20	23	22	20	21	26	22	23	23	23	25	27
U1	7	6	7	6	8	7	6	6	6	6	7	7	7	7	6	7
	14	13	14	13	17	13	13	13	15	13	13	13	15	15	12	15
	26	27	28	27	32	26	26	27	29	27	27	26	28	31	25	29
	27	28	29	26	33	27	27	28	30	28	28	27	29	32	26	30
	30	30	31	28	35	30	30	30	32	30	31	30	31	34	28	32
U2	7	7	6	6	6	6	7	6	7	5	6	7	6	5	6	6
	13	13	12	12	13	12	14	13	14	10	12	13	13	11	10	12
	25	25	28	25	25	25	28	25	27	20	25	27	25	22	21	24
	26	26	29	28	26	26	29	28	28	21	26	28	26	23	22	25
	30	30	31	30	30	30	31	30	30	24	28	30	29	25	25	27
U3	8	6	7	6	6	6	6	6	8	7	8	6	8	7	8	7
	16	12	13	12	12	12	12	12	15	12	14	11	13	14	14	12
	30	25	26	25	22	25	24	24	28	24	29	22	24	29	28	27
	31	26	27	26	23	26	25	25	29	25	30	23	26	31	30	27
	35	30	32	30	29	30	31	30	32	30	35	30	30	35	35	33

LAMPIRAN 6**HASIL ANALISIS SIDIK RAGAM TINGGI TANAMAN PENGARUH DOSIS PESTISIDA DAN UKURAN UMBI BENIH****Tests of Between-Subjects Effects**

Dependent Variable: Tinggi Tanaman

Source	Type III Sum of Squares	df	Mean Square	F	Sig.	
					F Tabel 0,05	F Tabel 0,01
Corrected Model	258.3 ^a	15	17.2	3.1		
Intercept	17980.0	1	17980.0	3294**	4,15	7,50
Faktor P	20.2	3	6.7	1.2	2,90	4,48
Faktor U	194.3	3	64.7	11.8**	2,90	4,48
Faktor P * Faktor U	43.6	9	4.8	0.8	2,19	3,01
Error	174.6	32	5.4			
Total	18413.0	48				
Corrected Total	432.9	47				

a. R Squared = .597 (Adjusted R Squared = .407)



LAMPIRAN 7**HASIL UJI LSD PENGARUH “P” TERHADAP PERTUMBUHAN TINGGI TANAMAN BAWANG MERAH****Multiple Comparisons**

Dependent Variable: Tinggi Tanaman

	(I) Dosis Pestisida	(J) Dosis Pestisida	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
						Lower Bound	Upper Bound
LSD	P0	P1	-.1667	.95379	.862	-2.1095	1.7761
		P2	1.1667	.95379	.230	-.7761	3.1095
		P3	1.2500	.95379	.199	-.6928	3.1928
	P1	P0	.1667	.95379	.862	-1.7761	2.1095
		P2	1.3333	.95379	.172	-.6095	3.2761
		P3	1.4167	.95379	.147	-.5261	3.3595
	P2	P0	-1.1667	.95379	.230	-3.1095	.7761
		P1	-1.3333	.95379	.172	-3.2761	.6095
		P3	.0833	.95379	.931	-1.8595	2.0261
P3	P0	-1.2500	.95379	.199	-3.1928	.6928	
	P1	-1.4167	.95379	.147	-3.3595	.5261	
	P2	-.0833	.95379	.931	-2.0261	1.8595	

Based on observed means.

The error term is Mean Square(Error) = 5,458.

LAMPIRAN 8**HASIL UJI LSD PENGARUH “U” TERHADAP PERTUMBUHAN TINGGI TANAMAN BAWANG MERAH****Multiple Comparisons**

Dependent Variable: Tinggi Tanaman

	(I) Ukuran Umbi	(J) Ukuran Umbi	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
						Lower Bound	Upper Bound
LSD	U0	U1	-3.7500*	.95379	.000	-5.6928	-1.8072
		U2	-3.0833*	.95379	.003	-5.0261	-1.1405
		U3	-5.5833*	.95379	.000	-7.5261	-3.6405
	U1	U0	3.7500*	.95379	.000	1.8072	5.6928
		U2	.6667	.95379	.490	-1.2761	2.6095
		U3	-1.8333	.95379	.064	-3.7761	.1095
	U2	U0	3.0833*	.95379	.003	1.1405	5.0261
		U1	-.6667	.95379	.490	-2.6095	1.2761
		U3	-2.5000*	.95379	.013	-4.4428	-.5572
U3	U0	5.5833*	.95379	.000	3.6405	7.5261	
	U1	1.8333	.95379	.064	-.1095	3.7761	
	U2	2.5000*	.95379	.013	.5572	4.4428	

Based on observed means.

The error term is Mean Square(Error) = 5,458.

*. The mean difference is significant at the ,05 level.

LAMPIRAN 9**JUMLAH TANAMAN YANG TERSERANG PENYAKIT FUSARIUM PER PLOT**

	P0	P1	P2	P3
U0	17	8	5	1
	16	7	3	1
	14	9	4	2
U1	16	7	4	1
	14	9	4	1
	16	6	5	1
U2	16	8	4	0
	16	9	5	1
	15	6	3	1
U3	15	7	3	0
	16	8	5	2
	15	7	4	1



LAMPIRAN 10**HASIL ANALISIS SIDIK RAGAM PENGARUH P DAN U TERHADAP SERANGAN PENYAKIT FUSARIUM PER PLOT****Tests of Between-Subjects Effects**

Dependent Variable: Tanaman Yang Terserang Penyakit

Source	Type III Sum of Squares	df	Mean Square	F	Sig.	
					A = 0,05	A = 0,01
Corrected Model	1407.250 ^a	15	93.817	97.896		
Intercept	2380.083	1	2380.083	2483.565	4,15	7,50
Faktor P	1405.083	3	468.361	488.725**	2,90	4,48
Faktor U	.750	3	.250	.261	2,90	4,48
Faktor P * Faktor U	1.417	9	.157	.164	2,19	3,01
Error	30.667	32	.958			
Total	3818.000	48				
Corrected Total	1437.917	47				

a. R Squared = ,979 (Adjusted R Squared = ,969)



LAMPIRAN 11

HASIL UJI LSD PENGARUH FAKTOR P TERHADAP JUMLAH TANAMAN YANG TERSEKANG PENYAKIT FUSARIUM

Multiple Comparisons

Dependent Variable: Tanaman Yang Terserang Penyakit

	(I) Pestisida	(J) Pestisida	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
						Lower Bound	Upper Bound
LSD	P0	P1	7.9167*	.39965	.000	7.1026	8.7307
		P2	11.4167*	.39965	.000	10.6026	12.2307
		P3	14.5000*	.39965	.000	13.6859	15.3141
	P1	P0	-7.9167*	.39965	.000	-8.7307	-7.1026
		P2	3.5000*	.39965	.000	2.6859	4.3141
		P3	6.5833*	.39965	.000	5.7693	7.3974
	P2	P0	-11.4167*	.39965	.000	-12.2307	-10.6026
		P1	-3.5000*	.39965	.000	-4.3141	-2.6859
		P3	3.0833*	.39965	.000	2.2693	3.8974
	P3	P0	-14.5000*	.39965	.000	-15.3141	-13.6859
		P1	-6.5833*	.39965	.000	-7.3974	-5.7693
		P2	-3.0833*	.39965	.000	-3.8974	-2.2693

Based on observed means.

The error term is Mean Square(Error) = ,958.

*. The mean difference is significant at the ,05 level.

LAMPIRAN 12**HASIL UJI LSD PENGARUH FAKTOR U TERHADAP JUMLAH TANAMAN YANG TERSERANG PENYAKIT FUSARIUM****Multiple Comparisons**

Dependent Variable: Tanaman Yang Terserang Penyakit

	(I) Ukuran Umbi Benih	(J) Ukuran Umbi Benih	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
						Lower Bound	Upper Bound
LSD	U0	U1	.2500	.39965	.536	-.5641	1.0641
		U2	.2500	.39965	.536	-.5641	1.0641
		U3	.3333	.39965	.410	-.4807	1.1474
	U1	U0	-.2500	.39965	.536	-1.0641	.5641
		U2	.0000	.39965	1.000	-.8141	.8141
		U3	.0833	.39965	.836	-.7307	.8974
	U2	U0	-.2500	.39965	.536	-1.0641	.5641
		U1	.0000	.39965	1.000	-.8141	.8141
		U3	.0833	.39965	.836	-.7307	.8974
U3	U0	-.3333	.39965	.410	-1.1474	.4807	
	U1	-.0833	.39965	.836	-.8974	.7307	
	U2	-.0833	.39965	.836	-.8974	.7307	

Based on observed means.

The error term is Mean Square(Error) = ,958.

LAMPIRAN 13

JUMLAH UMBI PER SAMPEL PENGARUH FAKTOR P, U, DAN P x U PADA
BLOK 1, 2, DAN 3

	Blok	P0				P1				P2				P3			
U0	I	3	1	2	1	3	2	3	2	3	3	2	3	2	3	3	3
	II	2	3	2	2	2	1	2	3	3	2	3	2	3	3	3	3
	III	2	3	3	2	3	2	3	3	3	2	3	3	4	3	3	3
U1	I	2	3	2	1	3	2	3	3	3	2	2	3	3	2	2	3
	II	3	2	3	2	3	4	2	3	3	3	3	2	3	3	3	2
	III	2	2	2	2	2	3	2	3	3	3	3	3	3	2	2	3
U2	I	4	6	5	6	4	5	6	5	5	5	6	6	6	6	5	6
	II	5	5	6	6	5	5	6	5	5	7	6	6	6	6	6	6
	III	6	6	5	6	5	6	6	6	5	6	6	5	5	6	5	6
U3	I	6	5	6	5	5	6	5	7	6	6	5	6	6	7	7	6
	II	5	5	5	6	6	6	7	6	5	6	5	6	6	6	7	6
	III	5	6	6	6	6	6	7	5	6	6	6	6	6	5	6	6

LAMPIRAN 14

HASIL ANALISIS SIDIK RAGAM PENGARUH FAKTOR P, U, DAN P x U
TERHADAP JUMLAH UMBI PER SAMPEL

Tests of Between-Subjects Effects

Dependent Variable: Jumlah Umbi Per Sampel

Source	Type III Sum of Squares	df	Mean Square	F	Sig.	
					A = 0,05	A = 0,01
Corrected Model	122.1 ^a	15	8.144	100.8		
Intercept	820.8	1	820.880	10168.3	4,15	7,50
Faktor P	1.8	3	.616	7.6**	2,90	4,48
Faktor U	119.2	3	39.755	492.4**	2,90	4,48
Faktor P * Faktor U	1.0	9	.116	1.4	2,19	3,01
Error	2.5	32	.081			
Total	945.6	48				
Corrected Total	124.7	47				

a. R Squared = ,979 (Adjusted R Squared = ,970)

LAMPIRAN 15

HASIL UJI LSD PENGARUH FAKTOR P TERHADAP JUMLAH UMBI PER SAMPEL

Multiple Comparisons

Dependent Variable: Jumlah Umbi Per Sampel

	(I) Pestisida	(J) Pestisida	Mean Differenc e (I-J)	Std. Error	Sig.	95% Confidence Interval	
						Lower Bound	Upper Bound
LSD	P0	P1	-.2917*	.11600	.017	-.5279	-.0554
		P2	-.3750*	.11600	.003	-.6113	-.1387
		P3	-.5417*	.11600	.000	-.7779	-.3054
	P1	P0	.2917*	.11600	.017	.0554	.5279
		P2	-.0833	.11600	.478	-.3196	.1529
		P3	-.2500*	.11600	.039	-.4863	-.0137
	P2	P0	.3750*	.11600	.003	.1387	.6113
		P1	.0833	.11600	.478	-.1529	.3196
		P3	-.1667	.11600	.160	-.4029	.0696
P3	P0	.5417*	.11600	.000	.3054	.7779	
	P1	.2500*	.11600	.039	.0137	.4863	
	P2	.1667	.11600	.160	-.0696	.4029	

Based on observed means.

The error term is Mean Square(Error) = ,081.

*. The mean difference is significant at the ,05 level.

LAMPIRAN 16**HASIL UJI LSD PENGARUH FAKTOR U TERHADAP JUMLAH UMBI PER SAMPEL****Multiple Comparisons**

Dependent Variable: Jumlah Umbi Per Sampel

	(I) Ukuran Umbi Benih	(J) Ukuran Umbi Benih	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
						Lower Bound	Upper Bound
LSD	U0	U1	.0000	.11600	1.000	-.2363	.2363
		U2	-3.0000*	.11600	.000	-3.2363	-2.7637
		U3	-3.2917*	.11600	.000	-3.5279	-3.0554
	U1	U0	.0000	.11600	1.000	-.2363	.2363
		U2	-3.0000*	.11600	.000	-3.2363	-2.7637
		U3	-3.2917*	.11600	.000	-3.5279	-3.0554
	U2	U0	3.0000*	.11600	.000	2.7637	3.2363
		U1	3.0000*	.11600	.000	2.7637	3.2363
		U3	-.2917*	.11600	.017	-.5279	-.0554
	U3	U0	3.2917*	.11600	.000	3.0554	3.5279
		U1	3.2917*	.11600	.000	3.0554	3.5279
		U2	.2917*	.11600	.017	.0554	.5279

Based on observed means.

The error term is Mean Square(Error) = ,081.

*. The mean difference is significant at the ,05 level.

LAMPIRAN 17

DATA PRODUKSI PER SAMPEL (gr) PENGARUH FAKTOR P DAN U BLOK 1, 2, DAN 3

		P0				P1				P2				P3			
U0	I	6	5	6	5	5	7	6	6	6	7	5	6	6	6	7	6
	II	6	6	5	6	6	5	7	5	6	5	6	6	7	5	6	5
	II I	6	6	6	6	7	6	5	6	7	6	5	7	6	6	5	7
U1	I	10	11	13	12	12	10	13	12	14	12	13	12	12	13	12	13
	II	11	13	12	12	13	12	13	12	13	12	11	10	11	13	12	11
	II I	12	11	12	12	13	11	13	12	11	13	13	12	12	12	11	10
U2	I	18	23	20	22	19	19	22	21	21	23	22	21	20	23	22	22
	II	19	21	20	22	20	19	21	22	21	22	22	23	21	22	22	22
	II I	21	22	21	20	20	23	21	23	21	20	23	19	23	21	22	22
U3	I	35	37	38	36	37	35	37	36	35	34	37	35	35	37	36	35
	II	35	36	35	35	36	36	35	36	36	37	35	35	36	36	35	35
	II I	36	36	36	35	37	35	37	35	36	37	36	36	35	37	36	35

LAMPIRAN 18**HASIL ANALISIS SIDIK RAGAM PENGARUH P DAN U TERHADAP PRODUKSI TANAMAN PER SAMPEL****Tests of Between-Subjects Effects**

Dependent Variable: Produksi Per Sampel (gr)

Source	Type III Sum of Squares	df	Mean Square	F	Sig.	
Corrected Model	6123.4 ^a	15	408.2	2043.5		
Intercept	16881.3	1	16881.3	84504.5	4,15	7,50
Faktor P	1.1	3	.3	1.8	2,90	4,48
Faktor U	6120.6	3	2040.2	10212.8**	2,90	4,48
Faktor P * Faktor U	1.7	9	.18	.9	2,19	3,01
Error	6.3	32	.2			
Total	23011.2	48				
Corrected Total	6129.8	47				

a. R Squared = ,999 (Adjusted R Squared = ,998)



LAMPIRAN 19

HASIL UJI LSD PENGARUH FAKTOR P TERHADAP PRODUKSI BAWANG MERAH PER SAMPEL

Multiple Comparisons

Dependent Variable: Produksi Per Sampel (gr)

	(I) Pestisida	(J) Pestisida	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
						Lower Bound	Upper Bound
LSD	P0	P1	-.2150	.18247	.247	-.5867	.1567
		P2	-.3400	.18247	.072	-.7117	.0317
		P3	-.4025*	.18247	.035	-.7742	-.0308
	P1	P0	.2150	.18247	.247	-.1567	.5867
		P2	-.1250	.18247	.498	-.4967	.2467
		P3	-.1875	.18247	.312	-.5592	.1842
	P2	P0	.3400	.18247	.072	-.0317	.7117
		P1	.1250	.18247	.498	-.2467	.4967
		P3	-.0625	.18247	.734	-.4342	.3092
P3	P0	.4025*	.18247	.035	.0308	.7742	
	P1	.1875	.18247	.312	-.1842	.5592	
	P2	.0625	.18247	.734	-.3092	.4342	

Based on observed means.

The error term is Mean Square(Error) = ,200.

*. The mean difference is significant at the ,05 level.

LAMPIRAN 20**HASIL UJI LSD PENGARUH FAKTOR U TERHADAP PRODUKSI BAWANG MERAH PER SAMPEL****Multiple Comparisons**

Dependent Variable: Produksi Per Sampel (gr)

	(I) Ukuran Umbi Benih	(J) Ukuran Umbi Benih	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
						Lower Bound	Upper Bound
LSD	U0	U1	-6.0833*	.18247	.000	-6.4550	-5.7117
		U2	-15.2917*	.18247	.000	-15.6633	-14.9200
		U3	-29.9725*	.18247	.000	-30.3442	-29.6008
	U1	U0	6.0833*	.18247	.000	5.7117	6.4550
		U2	-9.2083*	.18247	.000	-9.5800	-8.8367
		U3	-23.8892*	.18247	.000	-24.2608	-23.5175
	U2	U0	15.2917*	.18247	.000	14.9200	15.6633
		U1	9.2083*	.18247	.000	8.8367	9.5800
		U3	-14.6808*	.18247	.000	-15.0525	-14.3092
	U3	U0	29.9725*	.18247	.000	29.6008	30.3442
		U1	23.8892*	.18247	.000	23.5175	24.2608
		U2	14.6808*	.18247	.000	14.3092	15.0525

Based on observed means.

The error term is Mean Square(Error) = ,200.

*. The mean difference is significant at the ,05 level.

LAMPIRAN 21**DATA HASIL PRODUKSI PER PLOT (GR)**

	P0	P1	P2	P3
U0	144	170	200	233
	156	168	234	230
	175	157	230	234
U1	576	580	600	745
	598	575	621	732
	612	620	652	724
U2	648	762	800	857
	655	776	844	913
	673	784	875	853
U3	1260	1456	1574	1578
	1342	1546	1570	1621
	1430	1521	1620	1568



LAMPIRAN 22**HASIL ANALISIS SIDIK RAGAM PENGARUH P DAN U TERHADAP PRODUKSI TANAMAN PER PLOT****Tests of Between-Subjects Effects**

Dependent Variable: Produksi Per Plot (gr)

Source	Type III Sum of Squares	df	Mean Square	F	Sig.	
					A= 0,05	A = 0,01
Corrected Model	10964488.3 ^a	15	730965.8	723.5		
Intercept	29284376.3	1	29284376.3	28986.1	4,15	7,50
Faktor P	193534.5	3	64511.5	63.8**	2,90	4,48
Faktor U	10710938.8	3	3570312.9	3533.9**	2,90	4,48
Fakto P * Faktor U	60015.0	9	6668.3	6.6**	2,19	3,01
Error	32329.3	32	1010.3			
Total	40281194.0	48				
Corrected Total	10996817.6	47				

a. R Squared = ,997 (Adjusted R Squared = ,996)



LAMPIRAN 23**PENGARUH INTERAKSI P x U TERHADAP PRODUKSI BAWANG MERAH PER PLOT****Produksi Per Plot**Duncan^{a,b}

P * U	N	Subset								
		1	2	3	4	5	6	7	8	9
U0P0	3	158.3i								
U0P1	3	165i								
U0P2	3		221.3h							
U0P3	3		232.3h							
U1P1	3			591.6g						
U1P0	3			595.3g						
U1P2	3			624.3fg	624.3fg					
U2P0	3				658.6f					
U1P3	3					733.6e				
U2P1	3					774e				
U2P2	3						839.6d			
U2P3	3						874.3d			
U3P0	3							1344c		
U3P1	3								1507.6b	
U3P2	3									1588a
U3P3	3									1589a
Sig.		.799	.675	.244	.195	.130	.191	1.000	1.000	.970

LAMPIRAN 24**HASIL UJI LSD PENGARUH FAKTOR P TERHADAP PRODUKSI BAWANG MERAH PER PLOT****Multiple Comparisons**

Dependent Variable: Produksi Per Plot (gr)

	(I) Pestisida	(J) Pestisida	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
						Lower Bound	Upper Bound
LSD	P0	P1	-70.5000 [*]	12.97621	.000	-96.9317	-44.0683
		P2	-129.2500 [*]	12.97621	.000	-155.6817	-102.8183
		P3	-168.2500 [*]	12.97621	.000	-194.6817	-141.8183
	P1	P0	70.5000 [*]	12.97621	.000	44.0683	96.9317
		P2	-58.7500 [*]	12.97621	.000	-85.1817	-32.3183
		P3	-97.7500 [*]	12.97621	.000	-124.1817	-71.3183
	P2	P0	129.2500 [*]	12.97621	.000	102.8183	155.6817
		P1	58.7500 [*]	12.97621	.000	32.3183	85.1817
		P3	-39.0000 [*]	12.97621	.005	-65.4317	-12.5683
	P3	P0	168.2500 [*]	12.97621	.000	141.8183	194.6817
		P1	97.7500 [*]	12.97621	.000	71.3183	124.1817
		P2	39.0000 [*]	12.97621	.005	12.5683	65.4317

Based on observed means.

The error term is Mean Square(Error) = 1010,292.

*. The mean difference is significant at the ,05 level.

LAMPIRAN 25

HASIL UJI LSD PENGARUH FAKTOR P TERHADAP PRODUKSI BAWANG MERAH PER PLOT

Multiple Comparisons

Dependent Variable: Produksi Per Plot (gr)

	(I) Ukuran Umbi Benih	(J) Ukuran Umbi Benih	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
						Lower Bound	Upper Bound
LSD	U0	U1	-442.0000*	12.97621	.000	-468.4317	-415.5683
		U2	-592.4167*	12.97621	.000	-618.8483	-565.9850
		U3	-1312.9167*	12.97621	.000	-1339.3483	-1286.4850
	U1	U0	442.0000*	12.97621	.000	415.5683	468.4317
		U2	-150.4167*	12.97621	.000	-176.8483	-123.9850
		U3	-870.9167*	12.97621	.000	-897.3483	-844.4850
	U2	U0	592.4167*	12.97621	.000	565.9850	618.8483
		U1	150.4167*	12.97621	.000	123.9850	176.8483
		U3	-720.5000*	12.97621	.000	-746.9317	-694.0683
	U3	U0	1312.9167*	12.97621	.000	1286.4850	1339.3483
		U1	870.9167*	12.97621	.000	844.4850	897.3483
		U2	720.5000*	12.97621	.000	694.0683	746.9317

Based on observed means.

The error term is Mean Square(Error) = 1010,292.

*. The mean difference is significant at the ,05 level.

LAMPIRAN 26

DOKUMENTASI PENELITIAN



Gambar : Fungisida

Gambar : Insektisida



Gambar: Benih Bawang <5 gram

Gambar : Umbi di Timbang



Gambar: Benih Bawang 5-9 gram



Gambar: Umbi di Timbang



Gambar: Benih Bawang 10-14 gram



Gambar: Umbi di Timbang



Gambar: Benih Bawang >15 gram



Gambar: Umbi di Timbang



Gambar: Pengolahan lahan



Gambar: Pembuatan Plot



Gambar: Pemberian Pupuk dasar



Gambar: Penanaman bawang



Gambar: Pengamatan Penelitian

Penelitian



Gambar: Tampilan lahan



Gambar: Spanduk penelitian di lapangan



Gambar: Penimbangan produksi



Gambar: Pemanenan bawang merah

Gambar: Pemanenan bawang merah